

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claims 1-36 (cancelled)

Claim 37 (Currently Amended): A chemical delivery system for delivering an ultrapure chemical to a point of use, comprising:

- a chemical container apparatus comprising a sealed chemical container adapted for containing an ultrapure chemical;
- a recharge container apparatus comprising a recharge container adapted for containing the ultrapure chemical after receipt of the ultrapure chemical from the chemical container apparatus;
- a source of a high pressure inert gas;
- a pressurization gas apparatus adapted to receive the high pressure inert gas and deliver the high pressure inert gas to the chemical container apparatus and the recharge container apparatus;
- a first connection joint between and in fluid communication with the chemical container apparatus and the pressurization gas apparatus;
- a second connection joint between and in fluid communication with the chemical container apparatus and the recharge container apparatus;
- a third connection joint between and in fluid communication with the recharge container apparatus and pressurization gas apparatuses;
- a source of a purge gas, wherein the purge gas is the same as or different from the high pressure inert gas;
- a purge gas apparatus adapted to receive the purge gas and deliver the purge gas to the chemical container apparatus;
- a fourth connection joint between and in fluid communication with the chemical container apparatus and the purge gas apparatus;

a vacuum apparatus adapted to create a vacuum;
a fifth connection joint between and in fluid communication between the vacuum apparatus and either the chemical container apparatus or the recharge container apparatus,
a solvent supply apparatus adapted to receive the pressurization high pressure inert gas from the pressurization gas apparatus and thereby pressurize a solvent and being further adapted to supply the pressurized solvent to the chemical container apparatus;
a sixth connection joint between and in fluid communication with the pressurization gas apparatus and the solvent supply apparatus; and
a seventh connection joint between and in fluid communication with the solvent supply apparatus and the chemical container apparatus.

Claim 38 (previously presented): The chemical delivery system of claim 37, wherein the chemical container apparatus comprises a chemical container gas inlet conduit extending between and in fluid communication between the first connection joint and the sealed chemical container, a chemical container chemical outlet conduit extending between and in fluid communication between the sealed chemical container and the second connection joint, a chemical container bypass conduit extending between and in fluid communication with the chemical container gas inlet and outlet conduits, a chemical container discharge conduit, and a chemical container level indicator adapted to monitor a level of ultrapure chemical when the ultrapure chemical is present in the sealed chemical container, wherein:

the chemical container gas inlet conduit comprises:

- a first chemical container disconnection joint in fluid communication with the first connection joint, and
- a first chemical container isolation valve in fluid communication between the first connection joint and the sealed container;

the chemical container chemical outlet conduit comprises:

- a second chemical container disconnection joint in fluid communication with the second connection joint, the first and second chemical container disconnection joints being adapted to allow the sealed chemical container to be reversibly removed from the chemical delivery system,
 - a chemical container diptube with a first end extending into the sealed chemical container, and
 - a second chemical container isolation valve in fluid communication between the second chemical container disconnection joint and a second end of the chemical container diptube; and
- the chemical container discharge conduit comprises:
- a chemical container waste outlet conduit,
 - a chemical container waste inlet conduit in fluid communication with either or both of the chemical container gas inlet conduit and the chemical container chemical outlet conduit, and
 - a chemical container control valve in fluid communication between the chemical container waste inlet and outlet conduits.

Claim 39 (previously presented): The chemical delivery system of claim 37, wherein: the recharge container apparatus comprises

- a recharge container chemical inlet conduit extending between and in fluid communication between the second connection joint and the sealed recharge container,
- a recharge container gas inlet conduit extending between and in fluid communication between the second connection joint and the sealed recharge container,
- a recharge container chemical delivery conduit extending between and in fluid communication with the sealed recharge container,

- a recharge container level monitor associated with the sealed recharge container adapted to monitor a level of ultrapure chemical when it is present in the sealed recharge container, and
- a recharge container gas discharge conduit;

the recharge container chemical inlet conduit comprises

- a first recharge container control valve in fluid communication with the second connection joint,
- a first recharge container isolation valve in fluid communication with the sealed recharge container,
- a first recharge container disconnection joint in fluid communication between the first recharge container control valve and the first recharge container isolation valve;

the recharge container gas inlet conduit comprises

- a second recharge container isolation valve in fluid communication with the sealed recharge container, and
- a second recharge container disconnection joint in fluid communication between the second recharge container control valve and the third connection joint;

the recharge container chemical delivery conduit comprises, in order

- a diptube with a first end extending into the sealed recharge container.
- a third recharge container isolation valve,
- a third recharge container disconnection joint, wherein the first, second, and third recharge container disconnection joints are adapted to allow the sealed container to be reversibly removed from the chemical delivery system; and

the recharge container gas discharge conduit comprises, in order:

- a second recharge container control valve in fluid communication with the recharge container gas inlet conduit at a point between the third connection joint and second recharge container disconnection joint, and
- a needle valve.

Claim 40 (previously presented): The chemical delivery system of claim 37, further comprising a waste recovery apparatus, an eighth connection joint in fluid communication between the chemical container apparatus and the waste recovery apparatus, and an exhaust line, wherein:

the waste recovery apparatus comprises

- a sealed waste recovery container,
- a waste recovery inlet in fluid communication with and extending between the eighth connection joint and the sealed waste recovery container,
- a waste recovery outlet extending between and in fluid communication with the exhaust line and the sealed waste container,
- a waste recovery bypass conduit extending between and in fluid communication between the waste recovery inlet and outlet conduits;

the waste recovery inlet comprises, in order from the eighth connection joint to the sealed waste recovery container

- a first waste recovery control valve,
- a first waste recovery disconnection joint, and
- a first waste recovery isolation valve; and

the waste recovery exhaust comprises, in order from the sealed waste recovery container to the exhaust line

- a second waste recovery isolation valve,
- a second waste recovery disconnection joint, wherein the first and second waste recovery disconnection joints are adapted to allow the sealed waste recovery container to be reversibly removed from the chemical delivery system, and
- a second waste recovery control valve.

Claim 41 (previously presented): The chemical delivery system of claim 37, wherein the vacuum apparatus is in fluid communication with one, two, three, or all four of the

chemical container apparatus, the recharge container apparatus, the solvent supply apparatus, and the waste recovery apparatus.

Claim 42 (Currently Amended): The chemical delivery system of claim 37, further comprising an exhaust line, a degassing apparatus in fluid communication with the exhaust, and an ~~ninth~~ eighth connection joint in fluid communication between the recharge container apparatus and the degas apparatus, wherein the degas apparatus comprises:

- a degas chemical inlet conduit,
- a membrane adapted to separate dissolved gas from liquid in ultrapure chemical flowing from the degas chemical inlet and through the membrane, the degas chemical inlet conduit being in fluid communication between the ~~ninth~~ eighth connection joint to the membrane,
- a degassing chemical outlet conduit adapted to receive degassed ultrapure chemical from the membrane, and
- a degassing exhaust conduit extending between and in fluid communication with the membrane and the exhaust line, the degas exhaust conduit being adapted to receive gas separated from the ultrapure chemical by the membrane.

Claim 43 (Currently Amended): A chemical delivery system for delivering an ultrapure chemical to a point of use, comprising:

- a chemical container apparatus comprising a sealed chemical container adapted for containing an ultrapure chemical;
- a recharge container apparatus comprising a recharge container adapted for containing the ultrapure chemical after receipt of the ultrapure chemical from the chemical container apparatus;
- a source of a high pressure inert gas;

a pressurization gas apparatus adapted to receive the high pressure inert gas and deliver the high pressure inert gas to the chemical container apparatus and the recharge container apparatus;
a first connection joint between and in fluid communication with the chemical container apparatus and the pressurization gas apparatus;
a second connection joint between and in fluid communication with the chemical container apparatus and the recharge container apparatus;
a third connection joint between and in fluid communication with the recharge container apparatus and pressurization gas apparatus;
a source of a purge gas, wherein the purge gas is the same as or different from the high pressure inert gas;
a purge gas apparatus adapted to receive the purge gas and deliver the purge gas to the chemical container apparatus;
a fourth connection joint between and in fluid communication with the chemical container apparatus and the purge gas apparatus;
a vacuum apparatus adapted to create a vacuum;
a fifth connection joint between and in fluid communication between the vacuum apparatus and either the chemical container apparatus or the recharge container apparatus;
a solvent supply apparatus adapted to receive the high pressure inert gas from the pressurization gas apparatus and thereby pressurize a solvent and being further adapted to supply the pressurized solvent to the chemical container apparatus;
a sixth connection joint between and in fluid communication with the pressurization gas apparatus and the solvent supply apparatus;
a seventh connection joint between and in fluid communication with the solvent supply apparatus and the chemical container apparatus; and
~~The chemical delivery system of claim 37, further comprising a tenth~~ an eighth
connection joint in fluid communication with a filtration apparatus,
wherein:

the ~~tenth~~ eighth connection joint is in fluid communication between the filtration apparatus and either the recharge container apparatus or the a degassing apparatus; and

the filtration apparatus comprises, in order from the ~~tenth~~ eighth connection joint, a filtration chemical inlet, at least one filter, and a filtration chemical outlet.

Claim 44 (previously presented): The chemical delivery system of claim 37, wherein the recharge container chemical delivery conduit is adapted to delivery ultrapure chemical to a vaporizer.

Claim 45 (previously presented): The chemical delivery system of claim 37, wherein the vacuum generator is a venturi or a vacuum pump.

Claim 46 (previously presented): The chemical delivery system of claim 37, further comprising a tenth connection joint in fluid communication with a filtration apparatus, wherein:

the tenth connection joint is in fluid communication between the filtration apparatus and either the recharge container apparatus or the degassing apparatus; and

the filtration apparatus comprises:

a filtration chemical inlet,

a first filtration chemical inlet conduit,

a second filtration chemical inlet conduit,

a first upstream filtration isolation valve, the first filtration chemical inlet conduit being in fluid communication between the filtration chemical inlet and the first upstream filtration isolation valve,

a second upstream filtration isolation valve, the second filtration chemical inlet conduit being in fluid communication between the

filtration chemical inlet and the second upstream filtration isolation valve,
a first filter,
a second filter,
a first downstream filtration isolation valve, the first filter being in fluid communication between the first upstream filtration isolation valve and the first downstream filtration isolation valve,
a second downstream filtration isolation valve, the second filter being in fluid communication between the second upstream filtration isolation valve and the second downstream filtration isolation valve,
a first filtration chemical outlet conduit,
a second filtration chemical outlet conduit, and
a filtration chemical outlet, the first filtration chemical outlet conduit being in fluid communication between the first downstream filtration isolation valve and the filtration chemical outlet, the second filtration chemical outlet conduit being in fluid communication between the second downstream filtration isolation valve and the filtration chemical outlet.

Claim 47 (previously presented): The chemical delivery system of claim 37, wherein the purge and pressurization gases are not the same.

Claim 48 (Currently Amended): The chemical delivery system of claim 38, further comprising an exhaust line, a degassing apparatus in fluid communication with the exhaust, and an ~~ninth~~ eighth connection joint in fluid communication between the recharge container apparatus and the degas apparatus, wherein the degas apparatus comprises:

a degas chemical inlet conduit,

- a membrane adapted to separate dissolved gas from liquid in ultrapure chemical flowing from the degas chemical inlet and through the membrane, the degas chemical inlet conduit being in fluid communication between the ~~ninth~~eighth connection joint to the membrane,
- a degassing chemical outlet conduit adapted to receive degassed ultrapure chemical from the membrane, and
- a degassing exhaust conduit extending between and in fluid communication with the membrane and the exhaust line, the degas exhaust conduit being adapted to receive gas separated from the ultrapure chemical by the membrane.

Claim 49 (Currently Amended): The chemical delivery system of claim 39, further comprising an exhaust line, a degassing apparatus in fluid communication with the exhaust, and an ~~ninth~~eighth connection joint in fluid communication between the recharge container apparatus and the degas apparatus, wherein the degas apparatus comprises:

- a degas chemical inlet conduit,
- a membrane adapted to separate dissolved gas from liquid in ultrapure chemical flowing from the degas chemical inlet and through the membrane, the degas chemical inlet conduit being in fluid communication between the ~~ninth~~eighth connection joint to the membrane,
- a degassing chemical outlet conduit adapted to receive degassed ultrapure chemical from the membrane, and
- a degassing exhaust conduit extending between and in fluid communication with the membrane and the exhaust line, the degas exhaust conduit being adapted to receive gas separated from the ultrapure chemical by the membrane.

Claim 50 (Currently Amended): The chemical delivery system of claim 40, further comprising an exhaust line, a degassing apparatus in fluid communication with the exhaust, and an ~~ninth~~ eighth connection joint in fluid communication between the recharge container apparatus and the degas apparatus, wherein the degas apparatus comprises:

- a degas chemical inlet conduit,
- a membrane adapted to separate dissolved gas from liquid in ultrapure chemical flowing from the degas chemical inlet and through the membrane, the degas chemical inlet conduit being in fluid communication between the ~~ninth~~ eighth connection joint to the membrane,
- a degassing chemical outlet conduit adapted to receive degassed ultrapure chemical from the membrane, and
- a degassing exhaust conduit extending between and in fluid communication with the membrane and the exhaust line, the degas exhaust conduit being adapted to receive gas separated from the ultrapure chemical by the membrane.

Claim 51 (Currently Amended): The chemical delivery system of claim 38, further comprising an ~~tenth~~ eighth connection joint in fluid communication with a filtration apparatus, wherein:

- the ~~tenth~~ eighth connection joint is in fluid communication between the filtration apparatus and either the recharge container apparatus or the ~~a~~ degassing apparatus; and
- the filtration apparatus comprises, in order from the ~~tenth~~ eighth connection joint, a filtration chemical inlet, at least one filter, and a filtration chemical outlet.

Claim 52 (Currently Amended): The chemical delivery system of claim 39, further comprising an ~~tenth~~ eighth connection joint in fluid communication with a filtration apparatus, wherein:

the eighth connection joint is in fluid communication between the filtration apparatus and either the recharge container apparatus or the a degassing apparatus; and

the filtration apparatus comprises, in order from the ~~tenth~~ eighth connection joint, a filtration chemical inlet, at least one filter, and a filtration chemical outlet.

Claim 53 (Currently Amended): The chemical delivery system of claim 40, further comprising an ~~tenth~~ eighth connection joint in fluid communication with a filtration apparatus, wherein:

the ~~tenth~~ eighth connection joint is in fluid communication between the filtration apparatus and either the recharge container apparatus or the a degassing apparatus; and

the filtration apparatus comprises, in order from the ~~tenth~~ eighth connection joint, a filtration chemical inlet, at least one filter, and a filtration chemical outlet.

Claim 54 (Currently Amended): The chemical delivery system of claim 48, further comprising a ~~tenth-ninth~~ connection joint in fluid communication with a filtration apparatus, wherein:

the ~~tenth-ninth~~ connection joint is in fluid communication between the filtration apparatus and either the recharge container apparatus or the degassing apparatus; and

the filtration apparatus comprises, in order from the ~~tenth-ninth~~ connection joint, a filtration chemical inlet, at least one filter, and a filtration chemical outlet.

Claim 55 (Currently Amended): The chemical delivery system of claim 49, further comprising a ~~tenth-ninth~~ connection joint in fluid communication with a filtration apparatus, wherein:

the ~~tenth-ninth~~ connection joint is in fluid communication between the filtration apparatus and either the recharge container apparatus or the degassing apparatus; and
the filtration apparatus comprises, in order from the ~~tenth-ninth~~ connection joint, a filtration chemical inlet, at least one filter, and a filtration chemical outlet.

Claim 56 (Currently Amended): The chemical delivery system of claim 50, further comprising a ~~tenth-ninth~~ connection joint in fluid communication with a filtration apparatus, wherein:

the ~~tenth-ninth~~ connection joint is in fluid communication between the filtration apparatus and either the recharge container apparatus or the degassing apparatus; and
the filtration apparatus comprises, in order from the ~~tenth-ninth~~ connection joint, a filtration chemical inlet, at least one filter, and a filtration chemical outlet.

Claims 57-72 (Canceled)